

**REQUEST  
FOR  
CONTINUED EXAMINATION (RCE)  
TRANSMITTAL**

**MAIL STOP RCE**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Subsection (b) of 35 U.S.C. § 132, effective on May 29, 2000,  
provides for continued examination of an utility or  
plant application filed on or after June 8, 1995



Application Number	10/670,524
Confirmation Number	6499
Filing Date	September 26, 2003
First Named Inventor	Koji SAKIYAMA
Group Art Unit	2833
Examiner Name	FIGUEROA, Felix O.
Matter Number	Q77632

Title	CONNECTING STRUCTURE FOR ACCESSORY DEVICE AND CABLE, WATERPROOFING STRUCTURE FOR ACCESSORY DEVICE, AND MOUNTING SSSTRUCTURE FOR ACCESSORY DEVICE.
-------	---

This is a Request for Continued Examination (RCE) under 37 C.F.R. § 1.114 of the above-identified application.

**1. SUBMISSION REQUIRED UNDER 37 C.F.R. § 1.114**

- a. ☐ Previously submitted
- i. ☐ Please enter and consider the amendment(s)/reply under 37 C.F.R. § 1.116  
previously filed on \_\_\_\_\_
- ii. ☐ Consider the arguments in the Appeal Brief or Reply Brief previously filed on \_\_\_\_\_
- iii. ☐ Other \_\_\_\_\_
- b. ☒ Enclosed
- i. ☒ Amendment/Reply
- ii. ☐ Affidavit(s)/Declaration(s)
- iii. ☐ Information Disclosure Statement (IDS)
- iv. ☒ Petition for Extension of Time
- v. ☐ Other \_\_\_\_\_

**2. MISCELLANEOUS**

- a. ☐ Suspension of action on the above-identified application is requested under 37 C.F.R. § 1.103(c) for a  
period of \_\_\_\_\_ months
- b. ☐ Other \_\_\_\_\_

**3. FEES**

A check for the RCE statutory fee of \$790.00 is attached. The USPTO is directed and authorized to charge all  
required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any  
overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.

**CORRESPONDENCE ADDRESS**

*Direct all correspondence to the address for SUGHRUE MION, PLLC filed under the Customer Number listed below:*

09/06/2005 JADD01 00000080 10670524

02 F0:1801

790.00 0P

WASHINGTON OFFICE

**23373**

CUSTOMER NUMBER

**SIGNATURE OF ATTORNEY**

Name Timothy P. Cremen Registration No. 50,855

Signature  Date September 2, 2005



**PATENT APPLICATION**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of

Docket No: Q77632

Koji SAKIYAMA, et al.

Appln. No.: 10/670,524

Group Art Unit: 2833

Confirmation No.: 6499

Examiner: FIGUEROA, Felix O.

Filed: September 26, 2003

For: CONNECTING STRUCTURE FOR ACCESSORY DEVICE AND CABLE,  
WATERPROOFING STRUCTURE FOR ACCESSORY DEVICE, AND MOUNTING  
SSTRUCTURE FOR ACCESSORY DEVICE.

**AMENDMENT UNDER 37 C.F.R. § 1.114(c)**

**MAIL STOP RCE**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated March 2, 2005, please amend the above-identified application as follows on the accompanying pages.

**TABLE OF CONTENTS**

AMENDMENTS TO THE CLAIMS .....	2
REMARKS .....	8